according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EcoKrush

UFI: 75WW-KQJ9-7FFQ-T9CT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products

Unterhaltsreinigung

1.3. Details of the supplier of the safety data sheet

Company name: Mavkker Products ApS Street: Sct. Anna Gade 69 Place: DK-3000 Helsingør Telephone: +45 69984850 E-mail: info@maykker.com Contact person: Casper Schjørring E-mail: info@maykker.com Internet: www.Maykker.com +45 73707561 1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 2 of 14

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulati	ion)	·		
68891-38-3	Alcohols, C12-14, ethoxylated,	sulfates, sodium salts		10 - < 30 %	
	Skin Irrit. 2, Eye Dam. 1, Aquati	c Chronic 3; H315 H318 H41	2		
64-17-5	ethanol, ethyl alcohol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H				
107-98-2	1-methoxy-2-propanol; monopro	opylene glycol methyl ether		1 - < 5 %	
	203-539-1	603-064-00-3			
	Flam. Liq. 3, STOT SE 3; H226	H336	·		
3811-73-2	Pyridin-2-thiol-1-oxid, Natriumsa	alz		< 0.1 %	
	223-296-5				
	Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H332 H302 H318 H400 H411				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

opcomo con	io. Eminto, wi id	Ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
68891-38-3		Alcohols, C12-14, ethoxylated, sulfates, sodium salts	10 - < 30 %
	dermal: LD50	= >= 2000 mg/kg; oral: LD50 = 4100 mg/kg	
64-17-5	200-578-6	ethanol, ethyl alcohol	5 - < 10 %
	inhalation: LC mg/kg	250 = 124,7 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 10470	
107-98-2	203-539-1	1-methoxy-2-propanol; monopropylene glycol methyl ether	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 4277 mg/kg	
3811-73-2	223-296-5	Pyridin-2-thiol-1-oxid, Natriumsalz	< 0.1 %
	mg/kg Eye D	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 am. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 3 - < 10 1; H400: M=100	

Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % anionic surfactants, perfumes, preservation agents (Phenoxyethanol).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin,

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 3 of 14

wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In all cases of doubt, or when symptoms persist, seek medical advice.

After indestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No special measures are necessary.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam, Carbon dioxide (CO2), Powder, Water spray jet.

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Ammonia (NH3).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 4 of 14

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Contaminated work clothing should not be allowed out of the workplace. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place.

Suitable floor material: Acid-resistant.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Washing and cleaning products Unterhaltsreinigung

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 5 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			
Worker DNEL,	long-term	inhalation	systemic	175 mg/m³
Worker DNEL,	long-term	dermal	systemic	2750 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	52 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	1650 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	15 mg/kg bw/day
64-17-5	ethanol, ethyl alcohol		·	
Consumer DNI	EL, long-term	oral	systemic	87 mg/kg bw/day
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Consumer DNI	EL, acute	inhalation	local	343 mg/m³
Consumer DNI	EL, acute	dermal	local	950 mg/cm²
Consumer DNI	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	206 mg/kg bw/day
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ethe	r		
Worker DNEL,	acute	inhalation	systemic	553,5 mg/m³
Worker DNEL, acute		inhalation	local	553,5 mg/m³
Worker DNEL, long-term		dermal	systemic	183 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	369 mg/m³
Consumer DNEL, long-term		dermal	systemic	78 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	43,9 mg/m³
Consumer DNI	EL, long-term	oral	systemic	33 mg/kg bw/day

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 6 of 14

PNEC values

CAS No	Substance	
	I compartment	Value
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Freshwater		0,24 mg/l
Freshwater (ii	ntermittent releases)	0,071 mg/l
Marine water		0,024 mg/l
Freshwater se	ediment	0,917 mg/kg
Marine sedim	ent	0,092 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	10000 mg/l
Soil		7,5 mg/kg
64-17-5	ethanol, ethyl alcohol	
Freshwater		0,96 mg/l
Freshwater (ii	ntermittent releases)	2,75 mg/l
Marine water		0,79 mg/l
Freshwater sediment		3,6 mg/kg
Marine sedim	ent	2,9 mg/kg
Secondary po	isoning	380 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	
Freshwater		10 mg/l
Freshwater (intermittent releases)		100 mg/l
Marine water		1 mg/l
Freshwater sediment		52,3 mg/kg
Marine sediment		5,2 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		4,59 mg/kg

Additional advice on limit values

none

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 7 of 14

Suitable material: NBR (Nitrile rubber)

Breakthrough time: = 8 h

Thickness of the glove material: > 0,35 mm

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filtering device (full mask or mouthpiece) with filter: A2/P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point: -0,4 °C
Boiling point or initial boiling point and 86,2 °C

boiling range:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

11,1

Water solubility: easily soluble

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

Density (at 20 °C):

Relative density:

Relative vapour density:

Particle characteristics:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: not determined

Further Information

Odour threshold: not determined

SECTION 10: Stability and reactivity

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 8 of 14

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Sulphur oxides, Nitrogen oxides (NOx), Ammonia (NH3).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
68891-38-3	Alcohols, C12-14, ethoxy	/lated, sulfa	tes, sodium s	salts	·	•		
	oral	LD50 mg/kg	4100	Rat	Study report (1986)	OECD Guideline 401		
	dermal	LD50 mg/kg	>= 2000	Rat	Study report (2012)	OECD Guideline 402		
64-17-5	ethanol, ethyl alcohol							
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer			
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403		
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether							
	oral	LD50 mg/kg	4277	Rat	Study report (1985)	EU Method B.1		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1985)	EU Method B.3		
3811-73-2	Pyridin-2-thiol-1-oxid, Na	triumsalz						
	oral	ATE mg/kg	500					
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 9 of 14

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 10 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
68891-38-3	Alcohols, C12-14, ethoxyl	ated, sulfates	, sodium sa	alts				
	Acute fish toxicity	LC50	7,1 mg/l	96 h	Danio rerio	Study report (1995)	other: EG Guideline 92/69 C.1	
	Acute algae toxicity	ErC50	27 mg/l	72 h	Desmodesmus subspicatus	Study report (1993)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	7,2 mg/l	48 h	Daphnia magna	Study report (1993)	other: EG Guideline 92/69/EWG	
	Fish toxicity	NOEC	0,2 mg/l	28 d	Oncorhynchus mykiss	Study report (1995)	OECD Guideline 204	
	Crustacea toxicity	NOEC mg/l	0,27	21 d	Daphnia magna	Hafner Publishing Co. (1977)	OECD Guideline 211	
64-17-5	ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975	
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11	
	Fish toxicity	NOEC mg/l	> 79	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc	
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a	
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th	
107-98-2	1-methoxy-2-propanol; mo	onopropylene	glycol met	hyl ether				
	Acute fish toxicity	LC50 < 10000 mg	> 4600 - _J /I	96 h	Leuciscus idus	Study report (1989)	other: DIN 38 412, part L15	
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Pseudokirchneriella subcapitata	Study report (1986)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 25900 mg/l	21100 -	48 h	Daphnia magna	Study report (1981)	other: Environmental Sciences Research T	
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	Activated sludge	Manufacturer		

12.2. Persistence and degradability

The product has not been tested.

Page 11 of 14

Safety Data Sheet

according to UK REACH Regulation

Product code: 201248

EcoKrush

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			-
64-17-5	ethanol, ethyl alcohol			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	97 %	28	Manufacturer

12.3. Bioaccumulative potential

Revision date: 12.11.2024

The product has not been tested.

Readily biodegradable (according to OECD criteria).

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0,3
64-17-5	ethanol, ethyl alcohol	-0,77
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	< 1

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 12 of 14

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial 11,016 % (112,36 g/l)

emissions:

Directive 2004/42/EC on VOC in 11,438 % (116,672 g/l)

paints and varnishes:

Information according to Directive Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

according to UK REACH Regulation

EcoKrush

Revision date: 12.11.2024 Product code: 201248 Page 13 of 14

Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Skin Irrit. 2; H315	Calculation method	
Eye Dam. 1; H318	Calculation method	

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapou	
H226	Flammable liquid and vapour.	

according to UK REACH Regulation

EcoKrush				
Revision date: 12.11.2024	Product code: 201248	Page 14 of 14		
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H336	May cause drowsiness or dizziness.			
H400	Very toxic to aquatic life.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Further Information				
product properties ar	ased on the present level of our knowledge. It does not, however, give assurance of nd establishes no contract legal rights. The receiver of our product is singularly responsible ng laws and regulations.	e		

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)