

SAFETY DATA SHEET

PALEVO R2U SANI Clean 750ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PALEVO R2U SANI Clean 750ml

Product no.

23154

Unique formula identifier (UFI)

Q10Q-DS17-U33Y-9282

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses of the substance or mixture**

Cleaning product

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet**Company and address****Nowas A/S**

Falstervej 1
DK-9670 Løgstør
Denmark
Tel: +45 98677878

Contact person

Stefanie Brodersen

E-mail

post@nowas.dk

Revision

08/01/2026

SDS Version

1.0

Date of previous version

08/01/2026 (1.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements**Hazard pictogram(s)****Signal word**

Warning**Hazard statement(s)**

Causes serious eye irritation. (H319)

Precautionary statement(s)**General**

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Not applicable.

Disposal

Not applicable.

Hazardous substances

Does not contain any substances required to report

Additional labelling

UFI: Q10Q-DS17-U33Y-9282

Labelling of contents according to Detergents Regulation (EC) No 648/2004 (applicable to packaging of detergents sold to the general public)

< 5%

· Non-ionic surfactants

2.3. Other hazards**Additional warnings**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-44 Index No.: 603-096-00-8	1-3%	Eye Irrit. 2, H319	[1], [3]
Poly,ethylene,oxide,mono-2-propylheptyl,ether	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
ethanol	CAS No.: 64-17-5 EC No.: 200-578-6 REACH: Index No.: 603-002-00-5	1-3%	Flam. Liq. 2, H225	
methanesulphonic acid	CAS No.: 75-75-2 EC No.: 200-898-6 REACH: 01-2119491166-34	<1%	Acute Tox. 4, H302 Acute Tox. 4, H312	

Index No.: 607-145-00-4

Skin Corr. 1B, H314
Eye Dam. 1, H318

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

- [1] European occupational exposure limit.
- [3] According to REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage conditions

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol

Long term exposure limit (8 hours) (mg/m³): 68

Long term exposure limit (8 hours) (ppm): 10

Annotations:

E = Substance has an EC limit.

ethanol

Long term exposure limit (8 hours) (mg/m³): 1900

Long term exposure limit (8 hours) (ppm): 1000

Short term exposure limit (15 minutes) (mg/m³): 3800

Short term exposure limit (15 minutes) (ppm): 2000

propan-2-ol

Long term exposure limit (8 hours) (mg/m³): 490

Long term exposure limit (8 hours) (ppm): 200

Short term exposure limit (15 minutes) (mg/m³): 980

Short term exposure limit (15 minutes) (ppm): 400

Statutory order 1356 on exposure limits for substances and mixtures (19/11/2025)

DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General population	Dermal	10 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	20 mg/kg bw/day
Long term - Local effects - General population	Inhalation	34 mg/m ³
Long term - Local effects - Workers	Inhalation	67,5 mg/m ³
Long term - Systemic effects - General population	Inhalation	34 mg/m ³
Long term - Systemic effects - Workers	Inhalation	67,5 mg/m ³
Short term - Local effects - General population	Inhalation	50,6 mg/m ³
Short term - Local effects - Workers	Inhalation	101,2 mg/m ³
Long term - Systemic effects - General population	Oral	1,25 mg/kg bw/day

ethanol

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - Workers	Dermal	343 mg/kg kropsvægt/dag
Long term - Systemic effects - Workers	Inhalation	950 mg/m ³

methanesulphonic acid

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General population	Dermal	8,33 mg/kg
Long term - Systemic effects - Workers	Dermal	19,44 mg/kg
Long term - Local effects - Workers	Inhalation	2,89 mg/m ³
Long term - Systemic effects - General population	Inhalation	1,44 mg/m ³
Short term - Systemic effects - General population	Inhalation	1,44 mg/m ³

propan-2-ol

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term - Systemic effects - General population	Inhalation	89 mg/m ³
Long term - Systemic effects - Workers	Inhalation	500 mg/m ³
Long term - Systemic effects - General population	Oral	26 mg/kg bw/day

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1 mg/L
Freshwater sediment		4 mg/kg
Marine water		0,1 mg/L
Marine water sediment		0,4 mg/kg
Sewage treatment plant		200 mg/L
Soil		0,4 mg/kg soil dw

Water		3,9 mg/L
ethanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		2,75 mg/l
Soil		0,63 mg/kg dwt
methanesulphonic acid		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,012 mg/l
Freshwater sediment		0,0251 mg/kg
Marine water		0,0012 mg/l
Soil		0,00183 mg/kg
propan-2-ol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Sewage treatment plant		2251 mg/L
Soil		28 mg/kg
Water		140.9 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

Work situation	Type	Standards
In the event of prolonged exposure or high concentrations	Safety glasses	EN166

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Physical state**

Liquid

Colour

No data available.

Odour / Odour threshold

Pleasant

pH

2,2

Density (g/cm³)

1.01

Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

Phase changes**Melting point/Freezing point (°C)**

No data available.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

No data available.

Vapour pressure

No data available.

Relative vapour density

No data available.

Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards**Flash point (°C)**

No data available.

Flammability (°C)

No data available.

Auto-ignition temperature (°C)

No data available.

Lower and upper explosion limit (% v/v)

No data available.

Solubility**Solubility in water**

No data available.

n-octanol/water coefficient (LogKow)

No data available.

Solubility in fat (g/L)

No data available.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

No data available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Product/substance 2-(2-butoxyethoxy)ethanol

Species: Rat

Route of exposure: Oral

Test: LD50

Result: 2410 mg/kg bw ·

Product/substance 2-(2-butoxyethoxy)ethanol

Species: Rabbit

Route of exposure: Dermal

Test: LD50

Result: 2764 mg/kg bw ·

Product/substance Poly,ethylene,oxide,mono-2-propylheptyl,ether

Species: Rat

Route of exposure: Oral

Test: LD50

Result: 2.000 mg/kg ·

Product/substance ethanol

Species: Rat

Route of exposure: Oral

Test: LD50

Result: 7060 mg/kg bdw ·

Product/substance ethanol

Species: Rabbit

Route of exposure: Dermal

Test: LD lo

Result: 20 gm/kg bdw ·

Product/substance ethanol

Species: Rat

Route of exposure: Inhalation

Test: LC50
 Result: 20000 ppm/10 H ·

Product/substance propan-2-ol
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: 4570 mg/kg ·

Product/substance propan-2-ol
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: 13400 mg/kg ·

Product/substance propan-2-ol
 Species: Rat
 Route of exposure: Inhalation
 Test: LC50
 Result: 30 mg/l ·

Based on available data for the mixture, the classification criteria are not met.

Skin corrosion/irritation

Based on available data for the mixture, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data for the mixture, the classification criteria are not met.

Skin sensitisation

Based on available data for the mixture, the classification criteria are not met.

Germ cell mutagenicity

Based on available data for the mixture, the classification criteria are not met.

Carcinogenicity

Based on available data for the mixture, the classification criteria are not met.

Reproductive toxicity

Based on available data for the mixture, the classification criteria are not met.

STOT-single exposure

Based on available data for the mixture, the classification criteria are not met.

STOT-repeated exposure

Based on available data for the mixture, the classification criteria are not met.

Aspiration hazard

Based on available data for the mixture, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs.

Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance 2-(2-butoxyethoxy)ethanol
 Species: Fish

Duration: 96 hours
Test: LC50
Result: 1300 mg/L ·

Product/substance 2-(2-butoxyethoxy)ethanol
Species: Algae
Duration: 96 hours
Test: EC50
Result: > 100 mg/L ·

Product/substance 2-(2-butoxyethoxy)ethanol
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: > 100 mg/L ·

Product/substance Poly,ethylene,oxide,mono-2-propylheptyl,ether
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 10 - 100 mg/l ·

Product/substance Poly,ethylene,oxide,mono-2-propylheptyl,ether
Species: Algae
Duration: 72 hours
Test: EC50
Result: 10 - 100 mg/l ·

Product/substance ethanol
Species: Fish
Duration: 96 hours
Test: LC50
Result: 12,0 - 16,0 ml/l ·

Product/substance ethanol
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 9268 - 14221 mg/l ·

Product/substance methanesulphonic acid
Species: Fish
Duration: 96 hours
Test: LC50
Result: 10 - 100 mg/l ·

Product/substance methanesulphonic acid
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 10 - 100 mg/l ·

Product/substance methanesulphonic acid
Species: Algae
Duration: 72 hours
Test: EC50
Result: 10 - 100 mg/l ·

Product/substance propan-2-ol

Species: Fish
 Duration: 48 hours
 Test: LC50
 Result: 8970-9280 mg/L ·

Product/substance propan-2-ol
 Species: Daphnia
 Duration: 24 hours
 Test: EC50
 Result: 9714 mg/L ·

Based on available data for the mixture, the classification criteria are not met.

12.2. Persistence and degradability

Product/substance 2-(2-butoxyethoxy)ethanol
 Result: > 70 %
 Conclusion: Readily biodegradable
 Test: OECD 301 E

Product/substance ethanol
 Conclusion: Readily biodegradable

Product/substance methanesulphonic acid
 Result: 70 %
 Conclusion: Readily biodegradable
 Test: OECD 301 A

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance Poly,ethylene,oxide,mono-2-propylheptyl,ether
 Conclusion: No potential for bioaccumulation

Product/substance ethanol
 Conclusion: No potential for bioaccumulation

Product/substance methanesulphonic acid
 Conclusion: No potential for bioaccumulation

Product/substance propan-2-ol
 LogKow: 0,0500
 Conclusion: No potential for bioaccumulation

12.4. Mobility in soil

propan-2-ol
 LogKoc = 0.117995, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 29* Detergents containing dangerous substances

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR/ADN/RID	-	-	-	-	-
IMDG	-	-	-	-	-
IATA	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

REACH, Annex XVII

ethanol is subject to REACH restrictions (entry 40).

propan-2-ol is subject to REACH restrictions (entry 40).

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Non-ionic surfactants

Product registration number

4606780

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Danish Working Environment Authority's executive order no. 1713 of 18. Dec 2025 on young people's work.

Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2024).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H302, Harmful if swallowed.

H312, Harmful in contact with skin.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

mbh

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en